



TEST REPORT

Report No.: LCSE101022004R

Date: 2022.10.20

Page 1 of 13

Applicant : Ningbo Borden Electric Co.,Ltd
Address : No.133 Xingning North Road TaoYuan Industrial Zone, Ninghai County,
Ningbo, Zhejiang, China

Report on the submitted samples said to be:

Sample Name : S5 PIR Solar Garden Light
Trade Mark : N/A
Style No. : S5-1600LM, S5-500LM, S5-850LM
Testing Period : October 12, 2022 ~ October 20, 2022
Results : Please refer to next page(s).

TEST REQUEST	CONCLUSION
According to the customer's request, based on the performed tests on submitted sample, the result of Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs, Dibutyl Phthalate(DBP), Benzylbutyl Phthalate(BBP), Bis(2-ethylhexyl) Phthalate(DEHP), Diisobutyl phthalate(DIBP) content comply with the limit requirement as set of RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.	Pass

Signed for and on behalf of LCS

Imanol Yan

Imanol Yan



Ningbo LCS Standard Technology Service Co., Ltd.

Add: 101-106, 202-206, Building 037, No. 166, Jinghua Road, Meixu Street, Ningbo High-tech Zone, Yinzhou District, Ningbo City, Zhejiang Province, China

Tel: +(86) 0574-8790 8011 | E-mail: webmaster@lcs-cert.com | http:// www.lcs-cert.com



TEST REPORT

Report No.: LCSE101022004R

Date: 2022.10.20

Page 2 of 13

Results:

A.EU RoHS Directive 2011/65/EU and its amendment directives on XRF

Test method: With reference to IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)

Seq. No.	Tested Part(s)	Results						Date of sample submission/resubmission
		Cd	Pb	Hg	Cr ^v	Br ^v		
						PBBs	PBDEs	
1	Black plastic sheet	BL	BL	BL	BL	X	X	2022-10-12
2	Black plastic	BL	BL	BL	BL	X	X	2022-10-12
3	Silver metal screw	BL	BL	BL	X	/	/	2022-10-12
4	Translucent plastic	BL	BL	BL	BL	BL	BL	2022-10-12
5	Purple red metal	BL	OL	BL	BL	/	/	2022-10-12
6	Black plastic	BL	BL	BL	BL	X	X	2022-10-12
7	Black plastic	BL	BL	BL	BL	X	X	2022-10-12
8	Black plastic washer	BL	BL	BL	BL	BL	BL	2022-10-12
9	Silver metal bolt	BL	BL	BL	X	/	/	2022-10-12
10	White plastic washer	BL	BL	BL	BL	BL	BL	2022-10-12
11	Silver metal plate	OL	OL	BL	X	/	/	2022-10-12
12	Lamp bead	BL	BL	BL	BL	BL	BL	2022-10-12
13	White plastic	BL	BL	BL	BL	X	X	2022-10-12
14	Transparent plastic	BL	BL	BL	BL	BL	BL	2022-10-12
15	Black plastic	BL	BL	BL	BL	BL	BL	2022-10-12
16	Black plastic wire	BL	BL	BL	BL	BL	BL	2022-10-12
17	Red plastic wire	BL	BL	BL	BL	BL	BL	2022-10-12
18	Blue plastic wire	BL	BL	BL	BL	BL	BL	2022-10-12
19	Brown plastic wire	BL	BL	BL	BL	BL	BL	2022-10-12
20	Silver metal wire	BL	BL	BL	BL	/	/	2022-10-12
21	Silver metal sheet	BL	BL	BL	BL	/	/	2022-10-12
22	triode	OL	OL	BL	X	/	/	2022-10-12
23	Black plastic	BL	BL	BL	BL	BL	BL	2022-10-12



Ningbo LCS Standard Technology Service Co., Ltd.

Add: 101-106, 202-206, Building 037, No. 166, Jinghua Road, Meixu Street, Ningbo High-tech Zone, Yinzhou District, Ningbo City, Zhejiang Province, China

Tel: +(86) 0574-8790 8011 | E-mail: webmaster@lcs-cert.com | http://www.lcs-cert.com



TEST REPORT

Report No.: LCSE101022004R

Date: 2022.10.20

Page 3 of 13

Seq. No.	Tested Part(s)	Results						Date of sample submission/resubmission
		Cd	Pb	Hg	Cr ^{VI}	Br ^{VI}		
						PBBs	PBDEs	
24	PCB	BL	BL	BL	X	BL	BL	2022-10-12
25	solder	BL	BL	BL	BL	/	/	2022-10-12

Note:

- (1) Results were obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013.

Element	Unit	Non-metal	Metal	Composite Material
Cd	mg/kg	$BL \leq 70 - 3\sigma < X < 130 + 3\sigma \leq OL$	$BL \leq 70 - 3\sigma < X < 130 + 3\sigma \leq OL$	$BL \leq 50 - 3\sigma < X < 150 + 3\sigma \leq OL$
Pb	mg/kg	$BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$	$BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$	$BL \leq 500 - 3\sigma < X < 1500 + 3\sigma \leq OL$
Hg	mg/kg	$BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$	$BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$	$BL \leq 500 - 3\sigma < X < 1500 + 3\sigma \leq OL$
Cr	mg/kg	$BL \leq 700 - 3\sigma < X$	$BL \leq 700 - 3\sigma < X$	$BL \leq 500 - 3\sigma < X$
Br	mg/kg	$BL \leq 300 - 3\sigma < X$	--	$BL \leq 250 - 3\sigma < X$

BL = Below Limit
 OL = Over Limit
 X = Inconclusive

- (2) The XRF screening test for RoHS elements – The reading may be different to the actual content in the sample be of non-uniformity composition.
- (3) The maximum permissible limit is quoted from the document 2015/863/EC amending RoHS directive 2011/65/EU:
- (4) ▼ =For restricted substances PBBs and PBDEs, the results show the total Br content; The restricted substance was Cr(VI), and the results showed the total Cr content



Ningbo LCS Standard Technology Service Co., Ltd.

Add: 101-106, 202-206, Building 037, No. 166, Jinghua Road, Meixu Street, Ningbo High-tech Zone, Yinzhou District, Ningbo City, Zhejiang Province, China

Tel: +(86) 0574-8790 8011 | E-mail: webmaster@lcs-cert.com | http:// www.lcs-cert.com



TEST REPORT

Report No.: LCSE101022004R

Date: 2022.10.20

Page 4 of 13

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)
Cadmium (Cd)	100
Lead (Pb)	1000
Mercury (Hg)	1000
Hexavalent Chromium (Cr(VI))	1000
Polybrominated biphenyls (PBBs)	1000
Polybrominated diphenylethers (PBDEs)	1000
Dibutyl Phthalate(DBP)	1000
Benzylbutyl Phthalate(BBP)	1000
Di-(2-ethylhexyl) Phthalate(DEHP)	1000
Diisobutyl phthalate(DIBP)	1000

Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.



Ningbo LCS Standard Technology Service Co., Ltd.

Add: 101-106, 202-206, Building 037, No. 166, Jinghua Road, Meixu Street, Ningbo High-tech Zone, Yinzhou District, Ningbo City, Zhejiang Province, China

Tel: +(86) 0574-8790 8011 | E-mail: webmaster@lcs-cert.com | http:// www.lcs-cert.com



TEST REPORT

Report No.: LCSE101022004R

Date: 2022.10.20

Page 5 of 13

B. EU RoHS Directive 2011/65/EU and its amendment Directives 2015/863/EU on Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs, PBDEs, DBP, BBP, DEHP, DIBP content.

Test method:

Lead(Pb) & Cadmium(Cd) Content:

With reference to IEC 62321-5:2013, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES)

Hexavalent Chromium(Cr(VI)) Content:

With reference to IEC 62321-7-1:2015 or IEC 62321-7-2:2017, by alkaline digestion and analysis was performed by UV-visible spectrophotometer (UV-Vis)

BBP DBP DEHP & DIBP Content:

With reference to IEC 62321-8:2017, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

PBBs & PBDEs Content:

With reference to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

1) The test results of Lead (Pb) and Cadmium (Cd)

Item	Unit	MDL	Results			Limit
			5	11	22	
Lead Content (Pb)	mg/kg	5	N.D.	N.D.	N.D.	1000
Cadmium content(Cd)	mg/kg	5	N.D.	N.D.	N.D.	100

2) The test results of Hexavalent Chromium (Cr(VI))(non-metal)

Item	Unit	MDL	Results	Limit
			24	
HexavalentChromium(Cr(VI))▼	mg/kg	8	N.D.	1000

3) The test results of Hexavalent Chromium (Cr(VI))(metal)

Item	Unit	MDL	Results				Limit
			3	9	11	22	
HexavalentChromium(Cr(VI))▼	ug/cm ²	0.10	N.D.	N.D.	N.D.	N.D.	-



Ningbo LCS Standard Technology Service Co., Ltd.

Add: 101-106, 202-206, Building 037, No. 166, Jinghua Road, Meixu Street, Ningbo High-tech Zone, Yinzhou District, Ningbo City, Zhejiang Province, China

Tel: +(86) 0574-8790 8011 | E-mail: webmaster@lcs-cert.com | http:// www.lcs-cert.com



TEST REPORT

Report No.: LCSE101022004R

Date: 2022.10.20

Page 6 of 13

4) The test results of DBP、BBP、DEHP & DIBP

Item	Unit	MDL	Results			Limit
			12+24	13+14+23	1+2+6+7	
Dibutyl Phthalate(DBP)	mg/kg	50	N.D.	N.D.	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	50	N.D.	N.D.	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP)	mg/kg	50	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP)	mg/kg	50	N.D.	N.D.	N.D.	1000

Item	Unit	MDL	Results		Limit
			4+8+10+15	16+17+18+19	
Dibutyl Phthalate(DBP)	mg/kg	50	N.D.	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	50	N.D.	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP)	mg/kg	50	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP)	mg/kg	50	N.D.	N.D.	1000



Ningbo LCS Standard Technology Service Co., Ltd.

Add: 101-106, 202-206, Building 037, No. 166, Jinghua Road, Meixu Street, Ningbo High-tech Zone, Yinzhou District, Ningbo City, Zhejiang Province, China

Tel: +(86) 0574-8790 8011 | E-mail: webmaster@lcs-cert.com | http:// www.lcs-cert.com



TEST REPORT

Report No.: LCSE101022004R

Date: 2022.10.20

Page 7 of 13

5) The test results of PBBs & PBDEs

Item	Unit	MDL	Results			Limit
			1	2	6	
Polybrominated Biphenyls (PBBs)						
Monobromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	/
Dibromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	/
Tribromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	/
Tetrabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	/
Pentabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	/
Hexabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	/
Heptabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	/
Octabromobiphenyl	mg/kg	5	N.D.	N.D.	N.D.	/
Nonabromodiphenyl	mg/kg	5	N.D.	N.D.	N.D.	/
Decabromodiphenyl	mg/kg	5	N.D.	N.D.	N.D.	/
Total content	mg/kg	/	N.D.	N.D.	N.D.	1000
Polybrominated Diphenylethers (PBDEs)						
Monobromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	/
Dibromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	/
Tribromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	/
Tetrabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	/
Pentabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	/
Hexabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	/
Heptabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	/
Octabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	/
Nonabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	/
Decabromodiphenyl ether	mg/kg	5	N.D.	N.D.	N.D.	/
Total content	mg/kg	/	N.D.	N.D.	N.D.	1000



Ningbo LCS Standard Technology Service Co., Ltd.

Add: 101-106, 202-206, Building 037, No. 166, Jinhua Road, Meixu Street, Ningbo High-tech Zone, Yinzhou District, Ningbo City, Zhejiang Province, China

Tel: +(86) 0574-8790 8011 | E-mail: webmaster@lcs-cert.com | http:// www.lcs-cert.com



TEST REPORT

Report No.: LCSE101022004R

Date: 2022.10.20

Page 8 of 13

Item	Unit	MDL	Results		Limit
			7	13	
Polybrominated Biphenyls (PBBs)					
Monobromobiphenyl	mg/kg	5	N.D.	N.D.	/
Dibromobiphenyl	mg/kg	5	N.D.	N.D.	/
Tribromobiphenyl	mg/kg	5	N.D.	N.D.	/
Tetrabromobiphenyl	mg/kg	5	N.D.	N.D.	/
Pentabromobiphenyl	mg/kg	5	N.D.	N.D.	/
Hexabromobiphenyl	mg/kg	5	N.D.	N.D.	/
Heptabromobiphenyl	mg/kg	5	N.D.	N.D.	/
Octabromobiphenyl	mg/kg	5	N.D.	N.D.	/
Nonabromodiphenyl	mg/kg	5	N.D.	N.D.	/
Decabromodiphenyl	mg/kg	5	N.D.	N.D.	/
Total content	mg/kg	/	N.D.	N.D.	1000
Polybrominated Diphenylethers (PBDEs)					
Monobromodiphenyl ether	mg/kg	5	N.D.	N.D.	/
Dibromodiphenyl ether	mg/kg	5	N.D.	N.D.	/
Tribromodiphenyl ether	mg/kg	5	N.D.	N.D.	/
Tetrabromodiphenyl ether	mg/kg	5	N.D.	N.D.	/
Pentabromodiphenyl ether	mg/kg	5	N.D.	N.D.	/
Hexabromodiphenyl ether	mg/kg	5	N.D.	N.D.	/
Heptabromodiphenyl ether	mg/kg	5	N.D.	N.D.	/
Octabromodiphenyl ether	mg/kg	5	N.D.	N.D.	/
Nonabromodiphenyl ether	mg/kg	5	N.D.	N.D.	/
Decabromodiphenyl ether	mg/kg	5	N.D.	N.D.	/
Total content	mg/kg	/	N.D.	N.D.	1000



Ningbo LCS Standard Technology Service Co., Ltd.

Add: 101-106, 202-206, Building 037, No. 166, Jinghua Road, Meixu Street, Ningbo High-tech Zone, Yinzhou District, Ningbo City, Zhejiang Province, China

Tel: +(86) 0574-8790 8011 | E-mail: webmaster@lcs-cert.com | http:// www.lcs-cert.com



TEST REPORT

Report No.: LCSE101022004R

Date: 2022.10.20

Page 9 of 13

Note:

- MDL = Method Detection Limit
 - /= Not apply
 - LOQ = Limit of Quantification, The LOQ of Hexavalent chromium is 0.10 $\mu\text{g}/\text{cm}^2$
 - ▼ = a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 $\mu\text{g}/\text{cm}^2$. The sample coating is considered to contain Cr(VI)
b. The sample is negative for Cr(VI) if Cr(VI) is N.D.(concentration less than 0.10 $\mu\text{g}/\text{cm}^2$). The sample coating is considered a non- Cr(VI) based coating
c. The result between 0.10 $\mu\text{g}/\text{cm}^2$ and 0.13 $\mu\text{g}/\text{cm}^2$ is considered to be inconclusive, unavoidable coating variations may influence the determination
 - Information on storage conditions and production date of the tested samples is unavailable and thus Cr(VI) results represent status of the sample at the time of testing
 - mg/kg = ppm=parts per million
 - N.D.=Not Detected(<MDL or LOQ)
- #1 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in glass of cathode ray tubes, electronic components and fluorescent tubes.
- #2 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in electronic ceramic parts (e.g. piezoelectronic devices).
- #3 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted as an alloying element in Copper containing up to 4% (40000ppm) by weight.
- #4 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in high melting temperature type solders (i.e. lead-based alloys containing 85 % by weight or more lead).
- #5 According to the statement provided by the customer, according to RoHS directive 2011/65/EU and its amendments, Lead is exempted as an alloying element in Aluminum containing up to 0.4% (4000ppm) by weight.
- #6 According to the statement provided by the customer, according to RoHS directive 2011/65/EU and its amendments, Cadmium and its compounds in electrical contact is exempted.
- #7 According to the statement provided by the customer, according to RoHS directive 2011/65/EU and its Amendments, Lead is exempted in steel for machining purposes and in galvanised steel containing up to 0.35% (3500ppm) by weight.
- Flow chart appendix is included.
 - Photo appendix is included.



Ningbo LCS Standard Technology Service Co., Ltd.

Add: 101-106, 202-206, Building 037, No. 166, Jinghua Road, Meixu Street, Ningbo High-tech Zone, Yinzhou District, Ningbo City, Zhejiang Province, China

Tel: +(86) 0574-8790 8011 | E-mail: webmaster@lcs-cert.com | http:// www.lcs-cert.com



TEST REPORT


Report No.: LCSE101022004R

Date: 2022.10.20


Page 10 of 13

Appendix


1. Test Flow chart for Cd/Pb /Hg content




2. Test Flowchart for(Cr(VI)) content (For non-metal material)



Test Flowchart for (Cr(VI)) content (For metal material)



3. Test Flow chart for PBBs & PBDEs & DBP & BBP & DEHP & DIBP content



Ningbo LCS Standard Technology Service Co., Ltd.

Add: 101-106, 202-206, Building 037, No. 166, Jinghua Road, Meixu Street, Ningbo High-tech Zone, Yinzhou District, Ningbo City, Zhejiang Province, China

Tel: +(86) 0574-8790 8011 | E-mail: webmaster@lcs-cert.com | http:// www.lcs-cert.com




TEST REPORT

Report No.: LCSE101022004R

Date: 2022.10.20

Page 11 of 13

The photo of the sample



Ningbo LCS Standard Technology Service Co., Ltd.

Add: 101-106, 202-206, Building 037, No. 166, Jinghua Road, Meixu Street, Ningbo High-tech Zone, Yinzhou District, Ningbo City, Zhejiang Province, China

Tel: +(86) 0574-8790 8011 | E-mail: webmaster@lcs-cert.com | http:// www.lcs-cert.com



TEST REPORT

Report No.: LCSE101022004R

Date: 2022.10.20

Page 12 of 13



Ningbo LCS Standard Technology Service Co., Ltd.

Add: 101-106, 202-206, Building 037, No. 166, Jinghua Road, Meixu Street, Ningbo High-tech Zone, Yinzhou District, Ningbo City, Zhejiang Province, China

Tel: +(86) 0574-8790 8011 | E-mail: webmaster@lcs-cert.com | http:// www.lcs-cert.com




TEST REPORT

Report No.: LCSE101022004R

Date: 2022.10.20

Page 13 of 13



LCS authenticate the photo on original report only

Statement:

1. The test report is considered invalidated without approval signature, special seal on the perforation.
2. The result(s) shown in this report refer only to the sample(s) tested.
3. Without written approval of LCS, this report can't be reproduced except in full.
4. The sample(s) and sample information was/were provided by the client who should be responsible for the authenticity which LCS hasn't verified.
5. In case of any discrepancy between the English version and Chinese version of the testing reports(if generated), the Chinese version shall prevail.
6. The applicant and manufacturer information, product name, model, trademark and other information in this report are all provided by the applicant, and this laboratory is not responsible for verifying its authenticity.



***** End of Report *****



Ningbo LCS Standard Technology Service Co., Ltd.

Add: 101-106, 202-206, Building 037, No. 166, Jinghua Road, Meixu Street, Ningbo High-tech Zone, Yinzhou District, Ningbo City, Zhejiang Province, China

Tel: +(86) 0574-8790 8011 | E-mail: webmaster@lcs-cert.com | http:// www.lcs-cert.com